

SMEC

Samsung Machine Tools Engineering Company

Originally Founded as part of the Samsung Group in Korea. An extensive range of CNC turning centres, superb quality with heavy duty boxways on all models.





SMEC SL2000B

- ► Fanuc 0iTF (Manual Guide i) or Siemens 828D (Shopturn) controls
- ▶ 67mm bar capacity with 8" chuck
- ▶ 540mm maximum swing
- ► 540mm maximum turned length (1000mm opt)
- Unique Hexahedral boxway slideways

Options include Mill/drill turret, Y axis, sub-spindle, BMT65 tooling





SMEC SL2500B

- ► Fanuc 0iTF (Manual Guide i) or Siemens 828D (Shopturn) controls
- ▶ 76mm bar capacity with 10" chuck
- ▶ 540mm maximum swing
- 880mm maximum turned length (1000mm opt)
- ► Unique Hexahedral boxway slideways

Options include Mill/drill turret, Y axis, sub-spindle, BMT65 tooling





SMEC SL3000B

- ► Fanuc 0iTF (Manual Guide i) or Siemens 828D (Shopturn) controls
- ▶ 90mm bar capacity with 12" chuck
- 650mm maximum swing
- 880mm maximum turned length (1100mm opt)
- Unique Hexahedral boxway slideways

Options include
Mill/drill turret, Y axis, sub-spindle,
BMT65 tooling





SMEC SL3500B

- ► Fanuc 0iTF (Manual Guide i) or Siemens 828D (Shopturn) controls
- ▶ 117.5mm bar capacity with 15" chuck
- 850mm maximum swing
- Unique Hexahedral boxway slideways

Options include

Mill/drill turret, Y axis, sub-spindle, BMT65 tooling

Get in touch with our sales team.

Want to know more about any of the SMEC Machines?



sales@dugard.com



+44 (0)1273 732286

TODE IN FORES











- ► Fanuc 0iTF (Manual Guide i) or Siemens 828D (Shopturn) controls
- ▶ 181mm bar capacity with 21" chuck
- ▶ 630mm maximum swing
- ▶ 520mm maximum turned length
- ► Unique Hexahedral boxway slideways

Options include

Mill/drill turret, Y axis, sub-spindle, BMT65 tooling



- ► Fanuc 0iTF (Manual Guide i) or Siemens 828D (Shopturn) controls
- ► 140mm bar capacity with 24" chuck (320mm bore opt)
- ▶ 1030mm maximum swing
- ► 1000/2070/3200/5050mm maximum turned length
- ► 12/18m/min rapid traverse X/Y axis
- ▶ Unique Hexahedral boxway slideways

Options include

Mill/drill turret, Y axis, sub-spindle, BMT65 tooling

SMEC NS2100Y / NS2100SY

- ▶ 10.4" Screen with Fanuc 0iTF Plus control
- ▶ 820mm swing over bed
- ▶ 540mm swing over cross slide
- ▶ 8" chuck
- ▶ Rotary tool speed 6000rpm
- ► 30/10/36 m/min X/Y/Z Rapid traverse
- Linear way Machines

Options include Sub-spindle and Y axis options









SMEC NS2000B / NS2000BM Fanuc 0iTF with 10.4" screen

SMEC SL5500B

► Fanuc 0iTF (Manual Guide i) or

▶ 800mm maximum swing

Options include

BMT65 tooling

Siemens 828D (Shopturn) controls

▶ 165.5mm bar capacity with 21" chuck (24" and 255mm bore opt)

► Unique Hexahedral boxway slideways

Mill/drill turret, Y axis, sub-spindle,

- Fulluc offr with 10.4 screen
- ▶ 570mm swing over bed
- ▶ 310mm swing over cross slide
- ▶ 8" chuck
- ▶ 76mm bore
- ► Machine Weight 2940KG / 3190KG
- Linear way Machines

Options include

Mill/drill turret, Y axis, sub-spindle, BMT65 tooling















The Best Kept Secret from Japan

30,000 machines installed worldwide. Feature exceptional quality, accuracy and rigidity as standard as well as high speed travels, choice of spindles up to 30,000rpm and 1000Nm torque. All machines are built using the "True Geometry System".

Supercell 300 & 400G Horizontal 5 Axis Machining Centres

- Unrivalled accuracy ±2 microns positional accuracy (full stroke)
- ► 1 micron repeatability
- Pallet sizes from 300mm or 400mm square
- ► 60m/min rapid traverses
- ▶ BT40 15,000 or 20,000rpm
- 20 pallet system standard
- 174 ATC Standard (230 / 258 / 314 opt)



Model Shown - Kitamura HX400iG



HX Series Horizontal Machining Centres

- Unrivalled accuracy ±2 microns positional accuracy (full stroke)
- 1 micron repeatability
- Pallet sizes from 250mm ~ 1,000mm square
- Fastest rapid traverses on box ways 60m/min up to and including HX800
- ► Tool changer capacity up to 300
- Twin pallet (std) and multi pallet systems (field retrofittable)
- ▶ BT40 4 range spindle 20,000rpm
- ► BT50 4 range spindle 12,000rpm (8000rpm 1000Nm torque)

No In John





Mytrunnion 5 Axis Machining Centres

- Unrivalled accuracy ±2 microns positional accuracy (full stroke) ±1 micron on Medcentre
- 1 micron repeatability
- Table sizes available 220mm ~ 1,000mm diameter
- Rapid traverses 60m/min
- ► HSK40 30,000rpm (Medcentre)
- ▶ BT40 4 range spindle 20,000rpm



Medcenter 5AX 5 Axis Vertical Machining Centre

- Arumatik-Mi control
- Table size 170mm
- 20kg table load
- Spindle torque 14.6/10 minutes
- Tool storage capacity 40 tools





Mycentre Vertical Machining Centres

- X travels available 762mm to 1050mm
- Unrivalled accuracy ±2 microns positional
- accuracy (full stroke)
- 1 micron repeatability
- Rapid traverses 50m/min
- ► BT40 4 range spindle 20,000rpm
- ▶ 30 ATC



Customisable Icon Screen



Work Set Assistance



Maintenance Support Function

Arumatik Control



Pioneering icon CNC operation with interactive touchscreen display technology

67 million pulse encoder technology with 8192 block look-ahead processing speeds

Software upgrades throughout the life of the control

Fanuc compatible

Completely customisable and expandable user experience

Video guidance and visual programming screens

Anywhere-**Remote*** email status updates

Positioning Accuracy ±0.002mm / Full Stroke Repeatability ±0.001mm

Get in touch with our sales team.

Want to know more about any of the Kitamura Machines?



sales@dugard.com



+44 (0) 1273 732286

DUGARD

Unbeatable Price and Performance Combination







Model Shown - Dugard 760

CNC VMCs 550, 760, 1000, 1350

Dugard 550 available at just £30,000 Available with Fanuc, Siemens & Mitsubishi controls

▶ 11,000rpm spindle speed (std)

- 28 station ATC option
- Compact construction for reduced footprint
- Linear ways on all axes
- ▶ BT40 spindle taper as standard, (CAT opt)
- Twin arm ATC as standard



Model Shown - Dugard 1000XP

CNC VMCs 760XP, 1000XP, 1350XP, 1600XP, 2000XP & 2600XP

100% manufactured in Taiwan, hundreds of machines installed in the UK in the last 20 years.

Available with Fanuc, Mitsubishi, Siemens & Heidenhain controls.

- ▶ Up to 12,000rpm spindle speed (15,000rpm opt) ▶ Through spindle coolant
- ► Compact construction for reduced footprint
- Heavy duty linear ways on all axes

▲ 44m/min rapids

- ▲ Through spindle coolant
- ▶ BT40 spindle taper as standard, CAT option
- Swarf conveyor
- ▶ 36 station twin arm ATC options (28 on 76XP)
- Chip flushing

Options include

4th axis rotary table | 4/5th axis table | Probing

Discover More

Made In Painan.



Model Shown - Dugard HD1886B









Model Shown - Dugard LB3216







Heavy Duty CNC VMCs HD1363, HD1680, HD1886 & HD2210

Made in Taiwan, the unique configuration with the X slideway under the Y slideway offers a fully supported table across the full X-axis movement, eliminating table overhang and X-axis distortion whilst having a 40% smaller footprint. Choice of boxway or rollerway guide systems.

Available with Fanuc, Heidenhain and Siemens controls

- ▶ Refrigerated ballscrews on X, Y and Z axes ▶ Optional BT40 10,000/12,000rpm
- ≥ 24/32 station bi-directional twin arm type tool changer
- Available in heavy duty boxway or linear roller ways
- ▶ BT50 geared spindle 6,000/8,000rpm
- direct drive spindle
- X axis travels from 1,300~2,200mm
- Y axis travels up to 1000mm

CNC Bridge Type VMCs LB Range

Large capacity and ease of operation with powerful cutting capability

Available with Fanuc, Heidenhain & Siemens controls

- ≥ 2200~4200mmm X axis travels
- ▶ 1600 & 2700mm optional Y axis travels
- ▶ 850~1100mm Z axis travel
- ▶ Refrigerated ballscrews on X, Y and Z axes ▶ BT50 6000rpm with 2 step gearbox or BT50 10,000rpm direct drive spindle
 - ▶ up to 15,000kg table capacity



Model Shown - Dugard X5-320

5 Axis CNC Machining Centres Dugard X5-320, X5-800

High Speed 5 Axis Machining Centres

Available with Heidenhain, Fanuc and Siemens controls

- ▶ 320mm / 800mm diameter table
- ▶ 30 station ATC (X5-320)
- ► 32~128 station ATC (X5-800)
- ► 15,000rpm direct drive spindle speed (X5-320)

- ► 18,000rpm direct drive spindle speed (X5-800)
- Full 5 axis capability or 4 + 1
- ► Kessler torque table (X5-800)



Model Shown - Dugard GTX 620

5 Axis CNC Machining Centres Dugard GTX620

High Speed Travelling Column 5 Axis Machining Centre

Available with Heidenhain, Siemens or Fanuc controls

- ► 12,000 direct drive spindle (15,000/24,000rpm opt)
- Large capacity 650mm trunnion table
- Large door opening system with exceptional access to the work area for loading and setting
- ▶ 40 station ATC (60 opt)
- ▶ 36m/min rapids
- Full 5 axis simultaneous or 4+1 milling capability



A New Alternative for Sliding Head Lathes

H = Guide bush N = Non Guide Bush NH = Removeable Guide Bush

Hanwha machines are more competitive on price, have higher power and some models are approximately 20% heavier than most of the competition.

Program assist software is a software to help make machining programs with ease.

- 3D Modeling
- Tool path check with graphic representation
- Predicting the collision



Mode Intore



Hanwha XP Series

- Cost effective 4 axis entry models offering an effective solution to simple parts
- Available in 16mm,20mm,26mm and 32mm spindle sizes



Hanwha XD Series

Extracting 2D drawing

Calculating C/T

- Flagship range of Multi axis models for High precision and complex machined parts
- Available in 3mm, 7mm, 12mm, 16mm, 20mm, 26mm, 32mm, 38mm and 42mm spindle sizes
- Available in H,N and NH configurations



Hanwha XE Series

- Entry level 5 axis model offering affordability with a stable and high production Sliding head lathe
- Available in 20mm, 26mm and 35mm spindle sizes
- Available in H,N and NH configurations



Hanwha STL Series

- 3 path control that is extremely powerful turret type sliding head lathe
- Available in 32mm,38 and 42mm spindle sizes
- Available in H,N and NH configurations
- Industry standard Guide Bushes & Collets for ease of interchangeable


Hanwha provides chip cutting solution to break long and curled chips into small pieces.

- Better tool life
- Build-up edge free
- Ohip trouble free
- e 👂 Coolant usage

IBARMIA

High Value Added Solutions

With a strong European engineering base IBARMIA offers standardized and customized solutions worldwide to leading users in sectors such as aerospace, energy, machinery and subcontracting. Automation and unmanned operation, multi-tasking, additive manufacturing and connectivity are the fundamentals of new developments.



Moving column machining centres with fixed table

- Heidenhain or Fanuc controls
- ▶ 1000, 1250, 1600, 1800, 2200mm diameter table sizes, all with turning option
- ▶ Single or multi-pallet options
- ▶ BT50 or HSK spindles up to 75kW



C Series Large Diameter Ring **Production Centres**

Machining solutions for large circular pieces. Turning, drilling and grinding centers for flange and bearings up to ø8500 mm

- ► Single or twin ram available
- ► Hi torque turning
- Grinding option







Z Series Travelling Column 3/4/5 Axis Vertical Machining Centres

Universal moving column 5 axis machining centres







- ► Heidenhain or Fanuc controls
- ▶ Up to 12m X travel
- ▶ BT40, BT50 or HSK63, HSK100 spindle
- ▶ Up to 75kW spindle power



Section off the table



How big the table can go



Powerful travelling head

- ▶ 600, 800, 1000mm diameter built in rotary tables, all with turning option
- ▶ Classic models
- ▶ Mill/ turn capacity

Get in touch with our sales team.

Want to know more about any of the Ibarmia Machines?



🗐 sales@dugard.com



+44 (0) 1273 732286



Standard & CNC Grinders from Chevalier

The biggest manufacturer of surface grinders worldwide. Made in Taiwan and partnered with Dugard since 1985.

CNC Travelling Column Surface Grinder New Model - Chevalier FMG B1224

- ► SMART CNC fully conversational control
- Simplified programming
- ▶ 710mm longitudinal travel
- ▶ 350mm cross travel
- ▶ 500~2500rpm spindle speed





- ► Conversational control
- ▲ 450mm~2000mm longitudinal travels
- ▶ 210~610mm cross travels
- ▶ Spindle power up to 18kW
- **►** SMART CNC Control
- **▶** USB Device and CF Card Function
- ▶ Users can import and export programmes and files with either USB device or a CF card
- ▶ Uploading or downloading programmes is now more convenient

Dresser

Interface Design

The three-dimensional graphic image display minimises text descriptions and looks very similar to the actual workpieces



Surface Grinding





Slice Grinding Profile Grinding TaskLink






Table Type Table Type Single Tip



Diamond Roller Diamond Roller



Over the Head



Discover More

CNC Travelling Column Surface Grinder New Model - Chevalier FMG B1224


- ► SMART CNC fully conversational control
- ► Simplified programming
- ▶ 710mm longitudinal travel
- ▶ 350mm cross travel
- ▶ 500~2500rpm spindle speed



Column Type 3 Axis Automatic Surface Grinder

- ▶ 450~3000mm longitudinal travel
- ▲ Auto downfeed with roughing and finishing cycles
- ► Variable speed spindle
- ► AD Control Standard Features
- ▶ 10.4" TFT high resolution 65.536 pixel colour touch panel control interface
- Powerful graphic conversational function with surface/ plunge standard built-in grinding programme
- ▶ Brief and clear operation manual
- ► Mechanical coordinates and relative coordinates display
- Operation friendly, grinding, wheel dressing and automatic compensation can be accomplished easily without making CNC programme






Plunge Grinding Mode



Surface Grinding Mode




Automatic Dressing on Table (opt)



Automatic Overhead Dresser with Compensation (opt)



Crisscross Grinding Mode



Multi-Groove Grinding Mode



Embracing Tradition and Innovation with MYLAS

As a family business, MYLAS cherishes loyalty and the strength of support, harmonising it with progressive continuity and relevance.

MYLAS's path reflects a familiar narrative in CNC manufacturing, building on robust lathes and engineering excellence.



MYLAS DT Series

This multi-tasking turning centre is an advanced machine designed for precision complex parts, processed in one set up

- Double spindles and turrets enhance power and versatility
- ▶ 8 station sub-turret and sub-spindle
- ▶ Tool capacity up to 32 tools
- Superimposed Machining
- Y axis back machining



MYLAS DY Series

This multi-tasking turning centre is an advanced machine designed for precision complex parts, processed in one set up

- ▶ Double spindles with BMT 12 station turret
- 2nd Y axis for back machining with with 14 tools
- ► Tool capacity up to 38 tools
- Superimposed Machining
- Complex workpieces with extremely fast cycle times

Model Shown - MYLAS MTY 51e



MYLAS MTY Series

This multi-tasking turning centre is an advanced machine designed for precision complex parts, processed in one set up

- 3-channel design and X3 axis for time and cost savings
- Adopt linear guideway for fastest movement
- X axis rapid traverse 24 mm/min
- Z axis rapid traverse 36 mm/min
- Y axis traverse 18 mm/min
- Monoblock casting construction to ensure the highest rigidity

Mode In Toing



Proudly Working Alongside

IBARMIA.



Hanwha SMEC CHEVALIER.



Over 80 years providing machine tool solutions

At Dugard we're famous for our industry-leading range of machine tools, with the UK's widest range of horizontal and vertical lathes, machining centres, borers, grinders and cobots.

Dugard started from humble roots as a family-owned used machine tools business - but though we have risen to become one of the UK's most successful CNC machine manufacturers. we still believe in that personal touch. Our customers come from all sectors and in all shapes and sizes, from small businesses and subcontractors to international OEMs.

"It's the combination of reliable, high-quality machine tools and expert advice and customer support that keeps us coming back to Dugard with each new investment we make."

Darren Wilson Wilson Tool & Engineering



Machines from World-Leading Manufacturers

In addition to our extremely popular Dugard range, we also represent Kitamura, SMEC, Hanwha, Ibarmia, Pinacho and Chevalier. Designed, developed and manufactured in the engineering and technology hubs of Japan, Korea, Taiwan and Spain, these brands each represent innovative excellence in their respective specialities, dominating their chosen industries.



Expert Sales Support

The Dugard head office is in Hove, East Sussex and that's a brilliant place for a machine demonstration with one of our sales team. However, our sales team are based all over the UK, so if you need any help or information they're never far away and are always happy to make an appointment to see you.



Technical Expertise and Knowledge

We're believers in continuing to support our customers with first-class after-sales service. We support each of our customers with machine service, spare parts and programming assistance, ensuring your machines continue to deliver productivity and profit.

Proudly Working Alongside

IBARMIA.

AKITAMURA®



SMEC

CHEVALIER



