




## CNC SWISS TURN LATHE

# XE 26NH

5 axis machine for high precision and efficiency




### Precise Machining

- Precise and accurate guide bush
- Rigid structure for increased stability
- Generous tooling and maintenance area
- Cooling system for main and sub spindle


### Machining Area



### Main Spindle



### Back Tool



# CNC SWISS TURN LATHE

# XE 26NH



## Specification

| Model                          |              | XE 26NH                       |
|--------------------------------|--------------|-------------------------------|
| NC                             |              | Hanwha Fanuc-i                |
| Max. machining diameter (mm)   |              | Ø26                           |
| <b>Main operation</b>          |              |                               |
| Z1 Stroke / NH (mm)            |              | 160 (H), 50 (N)               |
| Main spindle                   | Speed (rpm)  | 8,000                         |
|                                | Motor (kW)   | 2.2 / 5.5                     |
| OD tool                        | No. of tools | 5 □ (16mm) (Ø26)              |
| Front tool                     | No. of tools | 5 (ER16M, Ø25)                |
| Cross drill                    | No. of tools | 4 (ER16)                      |
|                                | Speed (rpm)  | 6,000                         |
|                                | Motor (kW)   | 1.0                           |
| Off-centre drill (opt)         | No. of tools | 2 (ER16)                      |
| <b>Sub operation</b>           |              |                               |
| Sub spindle                    | Speed (rpm)  | 8,000                         |
|                                | Motor (kW)   | 1.5 / 2.2                     |
| Back tool                      | No. of tools | 4 (ER16) (2 Fixed + 2 Driven) |
|                                | Speed (rpm)  | 6,000                         |
|                                | Motor (kW)   | 1.0                           |
| Machine size (L x W x H) (mm)  |              | 2,260 x 1,240 x 1,670         |
| Weight (kg)                    |              | 2,500                         |
| Power consumption (Cable size) |              | 15 KVA, 10 KW (VCTF10SQ x 4C) |
| Air flow rate (Liter/Min)      |              | 120 ~ 150                     |

\* The specification is subject to change without notice.

## Dimension

